


# Download Client Connection Details

## Torrent Clients

### ruTorrent

```
use rTorrent: Checked
rTorrent Host: https://{username}.{servername}.usbx.me/RPC2
rTorrent User: {username}
rTorrent Password: As configured in UCP under ruTorrent
rTorrent Label: {Blank}
rTorrent Directory: {blank}
```


A screenshot of the ruTorrent web interface configuration page. The page has a dark theme. At the top, the title 'rTorrent' is displayed in a light blue font. Below the title, there are several configuration fields. The 'rTorrent Host:' field contains the URL 'https://usbdocs.lw975.usbx.me/RPC2'. The 'rTorrent User:' field contains 'usbdocs'. The 'rTorrent Password:' field is masked with dots. The 'rTorrent Label:' field contains 'rTorrent Label'. The 'rTorrent Directory:' field contains 'use rtorrent default'. At the bottom left, there is a button labeled 'Test rTorrent' with a small icon of three horizontal lines.

## Deluge


### Deluge Daemon

Recommended if both LazyLibrarian and Deluge is in the same machine

use Deluge: Checked  
Deluge Host: {servername}.usbx.me  
Daemon or webUI Port: {Deluge Daemon Port}  
Deluge Certificate: {Blank}  
Deluge URL Base: {Blank}  
Username: {username}  
Password: As configured in UCP under Deluge  
Deluge Label: {Blank}  
Download directory: {Blank}



The screenshot shows the Deluge web interface configuration page. It has a dark theme with white text and input fields. The title 'Deluge' is at the top left. The configuration is organized into two columns. The left column contains: 'Deluge Host:' with the value 'lw975.usbx.me', 'Deluge Certificate:' with the value 'webUI only', 'Username:' with the value 'usbdocs', and 'Deluge Label:' with the value 'Deluge Label'. The right column contains: 'Daemon or webUI Port:' with the value '16106' and a small up/down arrow icon, 'Deluge URL Base:' with the value 'URL Base', and 'Password:' with a masked field of 12 dots. Below these fields is a 'Test Deluge' button with a hamburger menu icon.

|   |                              |
|---|------------------------------|
| <b>Deluge Host:</b>   | <b>Daemon or webUI Port:</b> |
| lw975.usbx.me   | 16106                        |
| <b>Deluge Certificate:</b>  | <b>Deluge URL Base:</b>      |
| webUI only  | URL Base                     |
| <b>Username:</b>  | <b>Password:</b>             |
| usbdocs   | .....                        |
| <b>Deluge Label:</b>  | <b>Download directory :</b>  |
| Deluge Label  | use deluge default           |
|  |                              |


## Deluge WebUI

Recommended if Deluge is in another machine

use Deluge: Checked  
Deluge Host: https://{username}.{servername}.usbx.me  
Daemon or webUI Port: 443  
Deluge Certificate: {Blank}  
Deluge URL Base: /deluge  
Username: {Blank}  
Password: As configured in UCP under Deluge  
Deluge Label: {Blank}  
Download directory: {Blank}

## Deluge

|  |   |
|--|---|
| <b>Deluge Host:</b>  | <b>Daemon or webUI Port:</b>                    |
| <input type="text" value="https://usbdocs.lw975.usbx.me"/> | <input type="text" value="443"/>                |
| <b>Deluge Certificate:</b>                                 | <b>Deluge URL Base:</b>                         |
| <input type="text" value="webUI only"/>                    | <input type="text" value="/deluge"/>            |
| <b>Username:</b>   | <b>Password:</b>                                |
| <input type="text" value="daemon only"/>                   | <input type="password" value="....."/>          |
| <b>Deluge Label:</b>                                       | <b>Download directory :</b>                     |
| <input type="text" value="Deluge Label"/>                  | <input type="text" value="use deluge default"/> |

 Test Deluge


### ### Transmission

```
use Transmission: Checked
Transmission Host: https://{username}.{servername}.usbx.me
Transmission Port: 443
Username: {username}
Password: As configured in UCP under Transmission
Download directory: {Blank}
Transmission URL Base: {Blank}
```

☒ Use Transmission

## Transmission

|  |  |
|--|--|
| <b>Transmission Host:</b>                                  | <b>Transmission Port :</b>                 |
| <input type="text" value="https://usbdocs.lw975.usbx.me"/> | <input type="text" value="443"/>           |
| <b>Username :</b>  | <b>Password :</b>                          |
| <input type="text" value="usbdocs"/>                       | <input type="password" value="....."/>     |
| <b>Download directory :</b>                                | <b>Transmission URL Base:</b>              |
| <input type="text" value="use transmission default"/>      | <input type="text" value="/transmission"/> |

 Test Transmission

# Usenet Client

## NZBGet SSL

```
Use NZBGet: Checked
NZBGet Host: http://{servername}.usbx.me
Port: {NZBGet WebUI Port}
Username: {Username}
Password: {Password}
Category: {Blank}
Priority: 0
```

☒ Use NZBGet

## NZBGet

NZBGet Host:

lw975.usbx.me

Port

16136

Username

nzbget

Password:

••••••••

Category:

NZBGet Category

Priority:

0

Test NZBGet

## SABnzbd

Use Sabnzbd+: Checked

SABnzbd Host: `https://{username}.lw975.usbx.me`


SABnzbd Port: 443

SABnzbd Username: {username}

SABnzbd Password: As configured in UCP under SABnzbd

SABnzbd API Key: Generated SABnzbd API Key

SABnzbd URL Base: /sabnzbd

 Use Sabnzbd+

## SABnzbd+

SABnzbd Host:

https://usbdocs.lw975.usbx.me

SABnzbd Port:

443

SABnzbd Username

usbdocs

SABnzbd Password:

••••••••••

SABnzbd API Key:

••••••••••••••••••••

SABnzbd Category:


SABnzbd Category

SABnzbd URL Base:

/sabnzbd

Ext Host/Port

mywebsite.org:port

 Test SABnzbd

Use if you need to get sab to download  
the nzb file from lazylibrarian

Revision #2

Created 13 May 2020 09:25:10

Updated 12 July 2021 18:17:53