

# LazyLibrarian

In this guide, we will be setting up LazyLibrarian for the first time. This guide assumes the following:

- You have a working Torrent Client Setup
- You have LazyLibrarian installed and ready for configuration
- You have Jackett installed for use with certain Providers

## Securing your WebUI.

Upon loading LazyLibrarian, You will need to navigate to **Config** to list all the settings required to begin using LazyLibrarian; your first step must be to go to **Interface > Access Control**. Then fill in the desired **Username** and **Password**, then click **Save**. You will need to restart LazyLibrarian from your **User Control Panel**; then, upon starting, you will need to log in with username and password that you previously set.

## Connecting your Download client

We will continue by adding Downloaders. Switch over to the **Downloaders** tab.

### NZBGet

NZBget Details (NON SSL)	Value
NZBGet Host	servername-direct.usbx.me
Port	Port taken from <a href="#">UCP</a>
Username	Username taken from <a href="#">UCP</a>
Password	Password you set during install of NZBget
Category	You may need to set a new Category in NZBget for this to do so, access NZBget WebUI and go to settings >> Categories >> Scroll to the bottom add new >> save changes >> restart NZBget when prompted
Priority	This can be left at <input type="text" value="0"/>

### Sabnzbd

Sabnzbd Details (NON SSL)	Value
Sabnzbd Host	servername-direct.usbx.me
Port	Port taken from <a href="#">UCP</a>

Sabnzbd Details (NON SSL)	Value
Username	Username taken <a href="#">UCP</a>
Password	Password you set during install of Sabnzbd
Category	You may need to set a new Category in Sabnzbd for this to do so, access Sabnzbd WebUI and go to Config (Cog Icon) >> Categories
Priority	This can be left at <input type="text" value="0"/>
Sabnzbd API Key	Found in Sabnzbd WebUI and go to Config >> General >> Scroll down for your API Key
Sabnzbd URL Base	This can be left blank as this is a non SSL Connection
Ext Host/Port	This can be left blank as Sabnzbd runs on the same machine as LazyLibrarian.

## Deluge Web

Deluge Details	Value
Deluge Host	username.servername.usbx.me
Daemon or webUI Port	443
Username	Blank
Password	Password you set during install of Deluge
Label	You may need to set a new Label in Deluge. For this, to do so, access Deluge WebUI and go to Preferences plugin's then enable Label plugin. This will bring up label in the left-hand panel right-click this to add a new label.
Download Directory	This can be left blank, and Deluge will use the Default Download Directory
Deluge Certificate	This can be left blank
Deluge URL Base	deluge

## qBittorrent

qBittorrent Details	Value
qBittorrent Host	https://username.servername.usbx.me
qBittorrent Port	443
Username	username
Password	Password you set during install of qBittorrent
Download Directory	This can be left blank, and qBittorrent will use the Default Download Directory
qBittorrent URL Base	qbittorrent

## rTorrent

ruTorrent Details (NON SSL)	Value
rTorrent Host	https://username.servername.usbx.me/RPC2
rTorrent User	Username taken from <a href="#">UCP</a>
rTorrent Pass	Password taken from <a href="#">UCP</a>
rTorrent label	Can be left blank
rTorrent Directory	Leave blank

# Configuring Automatic import and Sorting

The following section is Processing. We will highlight only the sections that require editing to help speed up the Setup Process.

## Status

Status Option	Value
Missing Book Status	Recommended to set as wanted as any Missing items you will likely want to fill
New Book Status	Recommended to set as wanted as any new releases from an author you will likely want to fill
New AudioBook Status	Recommended to set as wanted as any new releases from an author you will likely want to fill
New Authors eBook Status	Recommended to set as wanted as any new releases from an author you will likely want to fill
New Authors AudioBook Status	Recommended to set as wanted as any new author added will likely have a back catalog
New Found Status	Recommended to set as wanted as anything new found in an author catalog will likely be wanted
New Series Status	Recommended to set as wanted as you will likely want anything from a new series
Include other books by new authors	This will include details for other books by new authors found in wishlists or csv files, or when manually importing a book by a new author

## Folders

Folders Option	Value
Download Directories	Should be set as your main download client completed Folder, for example <code>/homeX/usbdocs/files</code> You can add multiple by separating them with a <code>,</code> (comma)

Folders Option	Value
eBook Library Folder	Folder you'd like to store your Ebook formats in after processing
AudioBook Library Folder	Folder you'd like to store your Audiobook formats in after processing
Alternate Import/Export Folder	Think of this as a Watch Folder LazyLibrarian will watch this Folder for any content that matches any wanted content. It should be a different folder to your main download directories

# Adding your first Author

Your first step in adding a new Series/Author/ISBN Number, is to click Series in the top bar and locate the Search bar in the right-hand corner.

The next screen will present you with your possible results. Just click the green button to add the Author.

---

Revision #18

Created 12 May 2020 11:25:00

Updated 18 September 2023 10:53:18 by varg