

# Mylar

An automated Comic Book manager (cbr/cbz).

- [Mylar](#)

# Mylar

In this guide, we'll be setting up Mylar for the first time. This guide assumes the following:

- You have a working Torrent Client Setup
- You have Mylar installed and ready for configuration
- You have Jackett installed

## Securing your WebUI.

Upon loading Mylar, You will need to navigate to `Config` (Cog Icon) on the right of the screen to list all the settings required to begin the use of Mylar, Your first step must be to go to Web interface > Look for Basic; you will find Authentication/HTTP Username/HTTP Password > Select Forms (Login Page) from the dropdown Authentication box > Fill in desired Username and Password then click save at the bottom. You will need to restart Mylar from your Control Panel, then upon starting, you will need to log in with your new details.

## Connecting your Download client

We will continue by adding Download Settings. Switch over to the Download settings tab.

### NZBGet

NZBget Details (NON SSL)	Value
NZBGet Host	servername-direct.usbx.me
Port	Port taken from Ultra.cc Control Panel
Username	Username taken from Ultra.cc Control Panel
Password	Password you set during install of NZBget
Category	You may need to set a new Category in NZBget for this to do so, access NZBget WebUI and go to settings >> Categories >> Scroll to the bottom add new >> save changes >> restart NZBget when prompted
Priority	This can be left at Default

### Sabnzbd

Sabnzbd Details (NON SSL)	Value
Sabnzbd Host	servername-direct.usbx.me
Port	Port taken from Ultra.cc Control Panel

Sabnzbd Details (NON SSL)	Value
Username	Username taken from Ultra.cc Control Panel
Password	Password you set during install of Sabnzbd
Category	You may need to set a new Category in Sabnzbd for this to do so, access Sabnzbd WebUI and go to Config (Cog Icon) >> Categories
Priority	This can be left at Default
Sabnzbd API Key	Found in Sabnzbd WebUI and go to Config >> General >> Scroll down for your API Key
Enable Completed Download Handling	You will want this set to enabled for automatic import and sorting
Are Mylar / SABnzbd on separate machines	This can be left unchecked as Sabnzbd is being run on the same machine as Mylar.

## Deluge

Deluge Details (Daemon Only)	Value
Minimum # of seeders	Set as at least 1
Deluge Host	servername.usbx.me
Daemon Port	Port taken from Ultra.cc Control Panel
Username	Username taken from Ultra.cc Control Panel
Daemon Password	Password you set during install of Deluge
Label	You may need to set a new Label in Deluge for this. to do so access Deluge WebUI and go to Preferences plugin's then enable Label plugin this will bring up label in the left hand panel right click this to add a new label.
Deluge Download Path/Move	This can be left blank and Deluge will use the default Download Directory

## rTorrent

ruTorrent Details (NON SSL)	Value
Minimum # of seeders	Set as at least 1
rTorrent Host	https://username.servername.usbx.me
rTorrent User	Username taken from Ultra.cc Control
rTorrent Pass	Password taken from Ultra.cc Control
rTorrent label	Can be left blank
rTorrent Directory	Leave blank
rTorrent RPC	/RPC2

# Configuring Automatic import and Sorting

The following section is Post-Processing. We will Highlight only the sections that require editing to help speed up the Setup Process.

## Status

Status Option	Value
Enable Post Processing	Ticked and Set to `Hardlink` files
Enable Folder Monitor	Input a path where content might be downloaded to before sorting
Failed Download Handling	Enable Both Failed download Handling and Automatic Retry
Include other books by new authors	This will include details for other books by new authors found in wishlists or csv files, or when manually importing a book by a new author