

# Plex Media Server

Plex Media Server is a user-friendly way to store all your movies, shows, and other media in one place—and make it accessible from any device, whether you're at home or on-the-go. If you're looking for a no-headache way to watch your movies anywhere, this is it.

- [Plex](#)
- [How Plex performance is affected](#)

# Plex

On your Ultra service, Plex Media Server requires the secure connection to be at least set to **Preferred** in Plex Media Server settings, or you will face the error `Can't connect securely`.

Plex Media Server is a proprietary media player suite that organizes video, audio, and photos from a user's media collection and online services. The user can access and stream the content from the server to any device where Plex is offered.

More information can be found [here](#).

In this section, we will be detailing the initial configuration of your Plex Media Server. This assumes that you have stored your media in `~/media`. Our Plex installation automatically creates your media folders inside `~/media` as follows: `~/media/Movies` `~/media/TV\Shows` `~/media/Music`

No further step needed, although if you would want to change your library paths in Plex, you can read a guide about it [here](#).

## Prerequisites

- A Plex account - you can create one [here](#)
- A Ultra plan that supports media servers (any except Essential tier)

## Initial UCP Configuration

Like all applications, Plex Media Server can be installed from the [UCP](#), this application, however, has one extra step. When you click on **Install** and are prompted with this screen, you will need to visit [plex.tv/claim](https://plex.tv/claim).

If you have not done so already, sign in to your Plex account and copy the claim code provided. Paste this into the prompt and then click **Install**.

Your Plex Media Server comes configured out of the box. Just connect to your Plex Media Server instance by following the link in the [UCP](#) - as is typical with all official applications.

## Plex Plugin Installers

Listed below are scripts that install some popular plugins into your Plex Media Server instance. To install a plugin, connect to your Ultra service via [SSH](#) and execute the provided command for the plugin you would want to install. Some post-installation notes are detailed for each plugin.

### Absolute Series Scanner/Hama Bundle

```
curl https://scripts.ultra.cc/main/Plex/Plex-Plugins/hama-ass.sh | bash
```

## Post Installation

- More info here: <https://github.com/ZeroQI/Hama.bundle>

## Extended Personal Media Shows

```
curl https://scripts.ultra.cc/main/Plex/Plex-Plugins/epms.sh | bash
```

## Post Installation

- More info here: <https://bitbucket.org/mjarends/extendedpersonalmedia-agent.bundle/src/master/README.md>

## Trakt.tv Scrobber

```
curl https://scripts.ultra.cc/main/Plex/Plex-Plugins/trakt.sh | bash
```

## Post Installation

- More info here: <https://github.com/trakt/Plex-Trakt-Scrobber>

## Get SSL-URL for Plex Media Server

- This can be useful if you wish to connect to Plex from a remote device.
- Connect to your service via [SSH](#)
- Once connected, execute the following command:

```
bash <(wget -qO- https://scripts.ultra.cc/main/Plex/plex-ssl-url.sh)
```

# Troubleshooting Information

## How do I update Plex?

Our Upgrade/Repair Plex image is locked to a version/image that we have deemed to be stable on our infrastructure. The newest version is not always the best version, as Plex has a track record of deploying new releases with a lot of bugs.

To upgrade to the latest Plex version, you can do this via [SSH](#). Instructions on how to upgrade can be found [here](#).

## My Plex is down. What are some troubleshooting steps to resolve it?

Usual causes of this are Plex updates, or the server cannot read or write to the library, which is a common occurrence with Rclone mounts. In these cases, the RAM usage of Plex would go up, and the system will kill your Plex instance.

It is also worth noting that some of Plex's features, especially logins, server claiming API, and web apps, are centrally hosted by Plex and not locally attached to your Plex Media Server. Any outage announcements will be posted here: <https://status.plex.tv>.

- First, try to restart Plex from the **Apps** tab on the [UCP](#), and wait at least 5 minutes to see if it starts.
- Check if the container is not damaged. Try to use the upgrade/repair option from your [UCP](#) action menu under Installed tab -> Plex and wait for 5 minutes.
- Try to claim your server again, as your server token is expired. Visit <https://plex.tv/claim> to get your claim code. Then, use the Claim option from your UCP action menu under Installed Applications -> Plex. Paste your code and click claim.
- If Plex still is not running, log in to your Ultra service via [SSH](#) and execute the following command:

```
ps aux | grep [p]lex
```

- If it returns any sort of `D` state or `<defunct>`, something is holding the Plex process.
  - If Plex is Defunct, this is usually caused by a broken Rclone mount. To fix that, you should follow the instructions provided [here](#), and then restart Plex. After restarting the Rclone mount and Plex, execute `ps aux | grep [p]lex`, and if it returns nothing, your Plex is running normally. If not, repeat the guide.
  - If it is still in `D` state, then another third-party application is holding the process. Stop any application that is affiliated with your Plex Media Server instance.
  - If `grep` returns normally, is not in a defunct state, but you cannot access Plex, your Plex database may be corrupted, and you may need to view the logs. You can either run the following command via [SSH](#) and look for any errors. You can also download the logs from the settings in the Plex webUI.

```
cat .config/plex/Library/Application\ Support/Plex\ Media\ Server/Logs/Plex\ Media\ Server.log
```

- Any SLOW QUERY and SQLite errors/warnings are signs of a corrupted database. You may attempt to repair your database with [Plex SQLite](#).
- If it does not work, the last resort is to back up your old configuration to confirm that your database is corrupted and see if Plex comes online with a new configuration. Execute the following commands:

```
mv ~/.config/plex ~/.config/plex.bak
```

- Then afterward, reinstall Plex. If it runs, you may need to do a fresh install of Plex.

## Why is Plex producing a transcoder error?

The Plex Transcoder exited error is a general error for not playing back the media using the video player or transcoder, and you may need to view the logs. You can either run the following command on SSH and look for any errors. You can also download the logs from the settings in the Plex webUI.

```
cat .config/plex/Library/Application\ Support/Plex\ Media\ Server/Logs/Plex\ Media\ Server.log
```

## ERROR - An error occurred reading the file

If you encounter the following error message: `ERROR - ERROR - An error occurred reading the file: /homeXX/username/SOMEMOUNT/path/to/File.mp4 (5)`

Something is wrong with your Rclone mount, and it will need to be investigated separately. In this case, it is usually `Error 403: Rate Limit Exceeded`, `rateLimitExceeded`, or a wholly dropped mount endpoint.

# Extra Guides

## Upgrading/Downgrading Plex by Specific Version

```
app-plex upgrade --plex-version=<version number>
```

- This allows you to specify any version of Plex from v1.15 onward.
- Take note that you have to put in the **full version number** of the build you want to install, or the command will fail.
  - You can refer to [Plex's Official Docker Hub Page](#) or [LinuxServer.io's Plex Docker Hub Page](#) for the version number you want.
- For instance, if you want to install version 1.20.3.3483. After checking for the full version on the Docker Hub page, you will run the following

```
app-plex upgrade --plex-version=1.20.3.3483-211702a9f
```

## Plex SQLite

The Plex SQLite binary is accessible from your Ultra.cc service, and can be useful for managing or repair a corrupted Plex database. To access the utility tool, follow the below instructions.

- Connect to your Ultra.cc service via [SSH](#).
- Once connected, execute the below command for usage instructions:

```
plex-sqlite --help
```

- Do note, this is an advanced utility tool, make sure to read up on how it works before use. More information can be found [here](#).

# How Plex performance is affected

Those not familiar with Plex maybe confused on what factors come into play. This document exists in the hopes to cover most of the factors that can affect playback via Plex and other media server applications. These can be split into two categories, Local and Ultra.

Local related issues are issues outside of Ultra.cc control. These include stuff like Peering, Client compatibility, Client misconfiguration, Transcoding 4k.

Ultra.cc issues are issues we may be able to assist with. Peering (in some case, more explained below) Disk utilization, Disk abuse, Client misconfiguration.

So with some of the regular problems listed let us address each one and what they mean and their affect.

## Factors outside of Ultra.cc control

### Peering

#### What is peering?

Think of peering like a car journey, Data must travel from your slot to your home or wherever you might be sending it. If the roads leading to your home are a ton of broken down back roads that's going to slow you down. Ultra has no control of your ISP and the "roads" they offer to you. Good peering means a fast quiet road between the two points.

As mentioned below it is possible in some cases to re-route your traffic from your ISP and Ultra.cc however it is not always effective as your ISP will always play a part if we have no other transits that your ISP use then re-routing will not be possible. In some cases even after a re-route there will be zero improvement again this out of our control and purely down to your ISP's transit lines

As you can imagine peering to ultra.cc is very important for high quality playback of media files the more direct the peering the better your experience will be.

### Transcoding

#### What is Transcoding?

Transcoding is the act of adjusting a media file On-the-Fly to better suit the client device, eg TV, Cell phone, Games console.

Transcoding will usually be fine as long as it is too drastic an adjustment, changing the audio from 7.1 surround sound to standard AAC stereo will have a very very small impact on playback as this is a fairly light task for the server, this leaves the client device happy and you end up with very comfortable playback.

There is the other side of the coin however and this is where the issues arise.

Let me give you a scenario, you have your home movie in 4k but you go to a friends house who has a roku TV stick for example. The roku cannot handle the 4k video so plex will attempt to transcode this (depending on client/server setup. More on this in "Client misconfiguration") This creates stress for the server and so you may find that performance becomes terrible. Transcoding will also decrease quality of the playback, it could create artificing (odd colours, bright squares, Jumbled frames).

## Avoiding these issues:

There are a few things you can do to try to avoid transcoding. The first would be to make sure each client you use is set to original quality. This will vary between clients but the options will be exactly the same.

**Step 1: Go to Plex Settings.**

**Step 2: Go to Video/Quality settings**

**Step 3: Go to Remote Quality on the right hand side of the page**

**Step 4: Select Original Quality**

This will force plex to "**Direct Play**" (Without transcoding) Wherever possible.

Additionally you can ensure you media is already added to plex in the most compatible formatting possible:

The specification is as follows:

- **Container:** mp4
- **Resolution:** 1920x1080 or lower
- **Video codec:** H.264 (level 4.0 or lower)
- **Framerate:** 30 fps (bit depth: 8)
- **Audio Codec:** AAC (2 channels)
- **Bitrate:** 20 Mbps or lower

## Client compatibility

Plex is available on a massive number of devices and as such some work better then others. Plex will be doing most of the hard work so client requirements are low. The key feature of a client will need to be compatibility with your main choice of media container. For example, MKV or MP4. This comes back to the transcoding section above. The more compatible the client the less likely you will need to transcode.

## Specific client information

Please note if a device is capable of doing so then it is always recommended to connect via hard-line Ethernet to rule out speed loss from using WI-FI. Older Smart TV's maybe an exception to this, please check your TV manual and the section below for more information.

### Firestick 4k:

The firestick 4k is limited to 20 Mbps under with some video containers most notability h.264 format.

### FireCube:

The FireCube is limited to 30 Mbps under with some video containers most notability h.264 format.

## Various smart TV's:

As mentioned above wired connections are recommended however some TV's will have a slower ethernet connection then their Wi-Fi. For example 100Mbps instead of 1000Mbps. Please consult your TV manual for specifications of your ethernet port.

Older smart TV's are unable to use Plex with Secure connection turned on

The solution is to set secure connection to preferred via the app on your smart tv. Ultra.cc Plex requires Secure connection to be at least set to Preferred in Plex Media Server settings or you will face the error "Can't connect securely".

## Chromecasts:

Chromecasts are known as the worst device for plex, even the latest google TV is known to suffer on anything over 25-30 Via wireless or wired connection. so 1080p ends up being just playable. 4k is unlikely to work at all. Once again h.264 and HEVC content are the most complicated formats to deal with for this device.

## Apple TV 4k:

The Apple TV 4K is a common choice, with one caveat being the lack of TrueHD/DTS-HD passthrough, so Plex will have to transcode it. You can use a third-party client like Infuse, which can decode those codecs. Both 7.1 audio tracks and PGS subtitles are known to cause transcoding as the apple tv does not natively support either. 1080p WMV is reported to crash the Plex application on the Apple TV however this has not been mentioned with Infuse.

## PlayStation 4/5:

Much like the Chromecast the PlayStation platform has suffered from poor design and implementation it cannot support native H.265 playback because Sony, have not added H.265 support to the console. This maybe different for the ps5.

## Xbox Series S/X:

The Series S/X is known to face issues playing 4K HDR and no Dolby Vision support however the Series S/X does support formats like H.264/H.265.

## Roku Express/Ultra:

The Roku series has been reported as a better alternative to the likes of a Amazon 4k Stick, It does not support 7.1 surround sound but will play a number of 4k supported containers like H.264/H.265.

## Ipad:

You are unlikely to encounter this issues however it is reported that the plex IOS application will not play vc1 format media. This is a reasonably old format so this is expected but should you have such files it is recommended you use another device.

## Client misconfiguration

As mentioned above some plex configuration will be required out of the box. Plex by default will be set to transcode which will hopefully be unnecessary if you have read the previous parts of this guide. It is best to



ensure that plex is set to play original quality using the steps above.

There are some extra steps you can take to ensure plex's impact on your servers disk is minimal which will not only improve your experience but also show consideration for any users you may share the disk with.

## Plex

### Settings ? Library

- Scan my library periodically: Daily
  - This lessens the disk impact as scanning is a fast-acting Input/Output task.
  - You can set this down to 6 hours if necessary.
  - You may also use Sonarr/Radarr's Connect to update your libraries if there are any new episodes/movies uploaded with periodic scanning daily.
- Generate video preview thumbnails: never
- Generate intro video markers: never
- Generate chapter thumbnails: never
- Analyze audio tracks for loudness: never
  - The following settings do a full scan of the file and are only used to create intro markers, generate thumbnails and analyze the audio track of each file. This can be left on if you so wish.

## Plex

### Settings ? Video

Remote Quality: Original Quality

- This ensures transcoding does not occur unnecessary.

## Cloud based Storage

Cloud storage if used with plex can cause a large number of issues. If you have not followed the application optimization document it is possible you hit the API limit (This is the number of times files can be read), you can think of this like a USB drive that can only be read 10 times per day once you read it 10 times you then have to wait 24 hours from the last time you plugged it in before you can use it again. API works a lot like this so if your applications are reading your cloud heavily you could be cut off for 24 hours, this will cause plex to become non functional because it can no longer read the storage.

To prevent this, you can follow these steps to minimise the effects, however if you have a heavy day of viewing or importing these steps will not be able to help you. You will have to wait out the 24 hour period. [rclone](#)

[Optimizations for Apps](#)

You can also take a look at your logs should you be running an rclone based mount, their location is `~/scripts` if you see read errors this indicates a API block and such plex will fail likely with `Transcoder failed error`.

## Factors Ultra.cc can assist with

### Disk utilisation

In rare cases Plex could become incredibly slow and none of the previous issues are the cause. This could point to disk utilization being far too high, its possible a task you are running is the cause. You can check this for yourself If you are on a HDD based plan. It's also possible someone is abusing the disk and causing issues.

```
iostat -xk 2 $(findmnt -T ~ | awk 'END {print $2}')
```

Pay attention to the last column %util.

If this is 100% after a few minutes, the disk is entirely saturated, affecting performance. You can open a ticket at this point <https://my.ultra.cc/submitticket.php> and the Ultra.cc team will investigate as soon as possible

## Client misconfiguration

If you are stuck with your plex client configuration it is impossible to help you directly as this has to be done on the device, which Ultra staff will have no access too, However it is possible to ask for advice either via ticket or via our community Discord.

## Peering (In certain cases)

Peering is something we MAY be able to assist with due to owning our own transit lines we are able to re-route some connections via new lines improving your peering. Currently this is a work in progress and will require a ticket and MTR test which can be performed here: [Network Tools and Speedtest](#)