

Pyload-ng

The free and open-source Download Manager written in pure Python

- [Pyload-ng](#)

Pyload-ng

Pyload-ng is a free opensource download manager written in Python. It is designed to be extremely lightweight, easily extensible, and fully manageable via a web UI. It has support for many popular hosting sites with premium account abilities, including multi-hoster sites.

Usage

After you have installed Pyload via the [User Control Panel](#), you can access it by clicking the link under the **Apps** tab. See the table below to get yourself familiarized with the UI.

The default Download folder `/downloads` is mapped to `/home/your_username/downloads/pyload`.


Top Row Options:

Option	Use
Dashboard	Main overview of the application.
Queue	Monitor the current download queue.
Packages	A list of the download packages.
Files	A list of files that are part of a download.
Logs	Access application logs that are helpful for troubleshooting issues.
Settings	Add accounts, plugins, and set the number of parallel downloads etc.

Add Package

Let's add a package and download your first file with Pyload-ng.

- From the **Dashboard**, click the `+` button.



- A new window will appear, as shown in the below image.

Add Package

Paste your links or upload a container.

Name

MyPackageName

The name of the package

Links

https://www.youexample.com/watch?v=f39394939gjfff
https://www.youexample.com/watch?v=fhj92348fjh39f

Add a list of links

Password

Type the package password


Upload a container

File not available

Destination ☒ Queue ☐ Packages

Cancel Add Package

- Name your package.
- Add the links you want to download.
- Password is optional.
- Finally, click the **Add Package** button.

pyLoad

[Dashboard](#)



[Queue](#)

[Packages](#)


[Files](#)





[Logs](#)

[Settings](#)

[Logout](#)

 Info



Running: on

Reconnect: off

Speed: 138.63 KiB/s

Queue: 1 / 1 | 1

Status	Name	Hoster	Info	Size	Progress
downloading	<div></div>	<div></div>	00:07:24 @ 162.54 KiB/s	74.36 MiB	5% / 3.88 MiB ✕
<div><div>5%</div><div></div></div>					

- Once the package has been added, you can monitor the download via the **Dashboard**.

Download Queueing

If you have an Ultra.cc service with HDD instead of NVMe, you need to be mindful of your disk neighbors and not hammer the disk with high IO utilization. See [this guide](#) for more information on how to check your disk IO utilization.

One way to mitigate this is to limit the number of active downloads in your download client. Below you will find instructions on how to do this for Pyload-ng.


- Go to **Settings > General > Download**.
- Set **Maximum parallel downloads** to a maximum of .
- Set **Maximum download speed in KiB/s** to .
- Enable **Limit download speed**.

By setting these limitations, you can reduce the risk of over-utilizing the IO resources. Remember to monitor the IO utilization if you decide to go beyond the above recommendations.

Plugins


There are many plugins available in Pyload-ng, and each plugin comes with its own settings that can be adjusted to your liking.

- Go to **Settings > Plugins**.
- Click on any plugin in the list.
- For example, **DiscordNotifier** allows you to set up a Discord notification.
- Choose what kind of notifications you want to have enabled.
- Next, paste your [Discord Webhook URL](#) into the field .



Add File Hosting Account

- Go to **Settings > Accounts**.
- Click on the **+** button, as shown in the below image.



- Add Account

Enter your account data to use premium features

Login

username

Your username

Password

.....

The password for this account

Type

Choose the hoster for your account

>

CancelAdd