

# Kometa

This unofficial app installation script is provided for your convenience. The script is provided as-is and may not be updated or maintained by Ultra.cc. Customers are welcome to use and customize unofficial app installers for their unique needs and requirements. Unofficial support may be offered via [Discord](#) only and at the sole discretion of Ultra.cc staff. Use at your own risk and only proceed if you are comfortable managing the application on your own.

Kometa (previously known as Plex Meta Manager) is an open source Python 3 project that has been designed to ease the creation and maintenance of metadata, collections, and playlists within a Plex Media Server. The script is able to update information based on sources outside your Plex environment.

Make sure to configure the application properly to avoid breaking our [Fair Usage Policy](#). For detailed instructions on how to configure the application, follow [this link](#).

- **Config file:** `~/scripts/kometa/config/config.yml`
- **Config template:** `~/scripts/kometa/config/config.yml.template`
- **Log file:** `~/scripts/kometa/kometa.log`

## Prerequisites

- Python version 3.8 or above. See [here](#).
- Plex server installed on service.

## Installation

- Connect to your Ultra.cc service via [SSH](#)
- Execute the following command:

```
bash <(wget -qO- https://scripts.usbx.me/util/Kometa/main.sh)
```

- Type `confirm` and press `ENTER` to proceed
- Type `1` and press `ENTER`
- When prompted, enter your [TMDb](#) API key and press `ENTER`
- Wait until installation has been completed.

## Usage

### Configuration

As Kometa is not a GUI application, all configuration must be done by editing the config file. Luckily, Kometa offers great documentation on their [wiki](#). By default, the unofficial installer script will configure the config file with the bare necessities needed for Kometa to work. This includes your Plex server URL, token and [TMDb](#) API key. The latter is manually entered by the user during installation.

- **Config file:** `~/scripts/kometa/config/config.yml`
- **Config template:** `~/scripts/kometa/config/config.yml.template`

## Log file

- **Log file:** `~/scripts/kometa/kometa.log`

## Stopping and Starting The Service

- To stop the service:

```
systemctl --user stop kometa.service
```

- To start/restart the service:

```
systemctl --user restart kometa.service
```

# Uninstallation

- Execute the following command:

```
bash <(wget -qO- https://scripts.usbx.me/util/Kometa/main.sh)
```

- Type `confirm` and press `ENTER` to proceed
- Type `2` and press `ENTER`
- Done!

---

Revision #6

Created 14 October 2023 13:57:10 by varg

Updated 26 April 2024 10:51:20 by varg